AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)
C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060
E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

CIN : U73200DL2016PTC300483

Format No.: AGSS/QS/F-024

TEST REPORT

Issued to :	
Durga Trading Co. 6018, 1st Floor, Gali Arya Samaj, Naya Bani, Khari Baoli, Delhi-110006	**Report No.** : AGSS/FA/25100700042 **Sample Issue Date** : 07/10/2025 **Report Issue Date** : 13/10/2025

Name of The Product	: Silver Leaves	Sample Received Date	: 07/10/2025
		Analysis Starting Date	: 07/10/2025
Product Description	: Silver colour leaves	Analysis Completion Date	: 13/10/2025
		Date of Sampling	: -
Batch No./Lot No.	: G456	Quantity Received	: 10gm
Date of Manufacturing	: OCT/2025	Environment Condition	: Ok
Date of Expiry	: OCT/2027	Sampling Method	: NA
Packing Condition	: Plastic Container	Sampling By	: NA
Location	: NA		
Sample Received / Collected By	: Courier		
Testing Required	: Chemical Test		
Others specification	: Brand Name-Deepak		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement	Method Of Testing
Chemical Composition					
1	Silver	%	99.98	-	AGSS/CHEM/SOP-ICPMS-26
2	Lead	mg/kg	BLQ(0.05)	-	AGSS/CHEM/SOP-ICPMS-26
3	Copper	mg/kg	1.10	-	AGSS/CHEM/SOP-ICPMS-26
4	Arsenic	mg/kg	BLQ(0.05)	-	AGSS/CHEM/SOP-ICPMS-26
5	Tin	mg/kg	BLQ(0.05)	-	AGSS/CHEM/SOP-ICPMS-26
6	Zinc	mg/kg	2.15	-	AGSS/CHEM/SOP-ICPMS-26
7	Cadmium	mg/kg	BLQ(0.05)	-	AGSS/CHEM/SOP-ICPMS-26
8	Mercuary	mg/kg	BLQ(0.05)	-	AGSS/CHEM/SOP-ICPMS-26
9	Aluminium	mg/kg	BLQ(0.05)	-	AGSS/CHEM/SOP-ICPMS-26

End of Report

A/25100700042-1

Umesh Kumar
Technical Manager
Checked by

Nidhi Gupta
Technical Manager
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

ISO 9001:2015 ISO 14001:2015 ISO 45001:2018

Scanned with OKEN Scanner